

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Atty Dkt. 1410-695

C# M#

Mattias HYLL


Group Art Unit: 2734

Serial No. 09/617,813

Examiner: Corrielus, J.

Filed: July 17, 2000

Date: September 26, 2003

Title: METHOD AND APPARATUS FOR EQUALIZER UPDATING AND SAMPLING
RATE CONTROL2734-18
2631

RECEIVED

OCT 03 2003

Technology Center 2600

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

RESPONSE/AMENDMENT/LETTER

This is a response/amendment/letter in the above-identified application and includes an attachment which is hereby incorporated by reference and the signature below serves as the signature to the attachment in the absence of any other signature thereon.

☐ **Correspondence Address Indication Form Attached.****Fees are attached as calculated below:**

Total effective claims after amendment 35 minus highest number
previously paid for 36 (at least 20) = 0 x \$ 18.00 \$ 0.00

Independent claims after amendment 4 minus highest number
previously paid for 4 (at least 3) = 0 x \$ 84.00 \$ 0.00

If proper multiple dependent claims now added for first time, add \$280.00 (ignore improper) \$ 0.00

Petition is hereby made to extend the current due date so as to cover the filing date of this
paper and attachment(s) (\$110.00/1 month; \$410.00/2 months; \$930.00/3 months) \$ 110.00

Terminal disclaimer enclosed, add \$ 110.00 \$ 0.00

☐ First/second submission after Final Rejection pursuant to 37 CFR 1.129(a) (\$750.00) \$ 0.00

☐ Please enter the previously unentered, filed

☐ Submission attached

Subtotal \$ 110.00

If "small entity," then enter half (1/2) of subtotal and subtract -\$ 0.00

☐ Applicant claims "small entity" status. ☐ Statement filed herewith

Rule 56 Information Disclosure Statement Filing Fee (\$180.00) \$ 0.00

Assignment Recording Fee (\$40.00) \$ 0.00

Other: 0.00

TOTAL FEE ENCLOSED \$ 110.00

The Commissioner is hereby authorized to charge any deficiency, or credit any overpayment, in the fee(s) filed, or asserted to be filed, or which should have been filed herewith (or with any paper hereafter filed in this application by this firm) to our Account No. 14-1140. A duplicate copy of this sheet is attached.

1100 North Glebe Road, 8th Floor
Arlington, Virginia 22201-4714

Telephone: (703) 816-4000

Facsimile: (703) 816-4100

JRL:at

NIXON & VANDERHYE P.C.

By Atty: John R. Lastova, Reg. No. 33,149

Signature: 



#7/A
R. H. Hensch
10/08/03

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

Mattias HYLL

Atty. Ref.: 1410-695; Confirmation No. 8288

Appl. No. 09/617,813

Group: 2734

Filed: July 17, 2000

Examiner: Corrielus, J.

For: METHOD AND APPARATUS FOR EQUALIZER UPDATING AND SAMPLING
RATE CONTROL

RECEIVED

* * * * *

OCT 03 2003

September 26, 2003
Technology Center 2600

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

AMENDMENT

Responsive to the Official Action dated June 16, 2003 (for which petition is hereby made for a one month extension of time), please amend the above-identified application as follows:

10/01/2003 JBALINAN 00000019 09617813

01 FC:1251

110.00 OP